S12.00-1-u

STATE OF CONNECTICUT

One Hundred and Thirty-Ninth

REGISTRATION REPORT

1986

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-NINTH REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDING DECEMBER 31, 1986

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price $10.00*

*Also, with the purchase of this report, modified copies of the report tables may be obtained on 5 1/4 inch floppy disks [i.e. 360K, PCDOS/MSDOS format only]. Please call 566-5451 for additional information.

DEPARTMENT OF HEALTH SERVICES

HARTFORD, 1988

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-ninth report, relating to the births, marriages, divorces and deaths that were registered in Connecticut in the year 1986.

Very respectfully,

Frederick G. Adams

Frederick G. Adams, D.D.S., M.P.H.
Commissioner of Health Services

Frederick G. Adams, D.D.S., M.P.H
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1986, prepared by the Division of Health Surveillance and Planning, Center for Policy Development and Community Relations. At this time I wish to express my appreciation of the work performed by the division staff in preparing this report. I would also like to extend my appreciation to the staff of the Vital Statistics Division, who are responsible for overseeing the registration of vital events and for data collection and coding, and to the staff of the Data Processing Division, who are responsible for data entry and file maintenance.

Respectfully,

Marie V. Roberto

Marie V. Roberto, Chief, M.S., R.N., C.N.S.
Center for Policy Development and
Community Relations

STAFF

Health Surveillance and Planning, Center for Policy Development and Community Relations

Richard J. Gruber
Director

Lloyd Mueller
Research Analyst

Leah Weintrub
Research Analyst

Joan Shaia
Senior Clerk

Vital Statistics, Center for Policy Development and Community Relations

Kathryn E. Church
Registrar

Data Processing Division, Office of the Deputy Commissioner

Phil Mollison
Chief, Data Management

Conrad Wopperer
Senior Systems Analyst

CONTENTS

Vital Statistics for 1986 Page

Summary for Year 5
Population Estimate, 1986 5
Births 6
Fetal Deaths 6
Deaths 6
Leading Causes of Death 6
Infant Mortality 7
Marriages 7
Marriage Dissolutions 7

TABLES

Table No.

1 Population Estimate, 1986, by age and sex 8
2 Estimate of population and vital statistics by towns of residence and towns of occurrence 9
3 Live births, Connecticut residents by age of mother 17
4 Live births to residents of Connecticut towns by race, low birthweight and maternal age 18
5 Fetal deaths occurring in Connecticut 32
6 Causes of fetal deaths occurring in Connecticut 33
7 Causes of death, Connecticut residents 34
8 Causes of death among nonwhites 38
9 Deaths under one year of age (infants) 42
10 Selected causes of infant deaths 47
11 Leading causes of death by age groups 51
12 Number of present marriage for brides and grooms 53
13 Previous marital status of brides and grooms 53
14 County of Dissolution of marriages 54
15 Children under 18 involved in dissolution of marriages 54
16 Duration of marriages dissolved in 1986 54

Glossary 55

Rates, calculation of 56

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

Summary For Year

The Annual Registration Report of Vital Statistics, 1986, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examining data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is virtually 100% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of-Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1986 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information
Further information can be obtained by contacting the Division of Health Surveillance and Planning, 150 Washington Street, Hartford, Connecticut 06106, Telephone numbers 566-5451 or 566-1120.

POPULATION ESTIMATE, 1986

The estimated population of Connecticut as of July 1, 1986 was 3,241,500. This reflects a natural increase (difference between births and deaths) of 16,866, and a net migration into Connecticut of 26,404. The population estimated for 1986 is an increase of 1.35% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated by using known births and deaths and by estimating migration using school enrollment and housing unit changes.

BIRTHS

In 1986 the number of resident live births was 44,881. This represents an increase of 913 from 1985 and an increase in the birth rate from 13.7 to 13.8 per 1,000 population. There were 1,027 births to Connecticut residents occurring out of state, 2.3% of the total births. There were 3,960 births to teenage mothers (19 years of age or less). This was 8.8% of all births, a decrease from 9.2% in 1985.

FETAL DEATHS

The fetal death ratio decreased in 1986 with a total count of 304 or 6.8 deaths per 1,000 live births occurring in Connecticut compared to 302 deaths and a ratio of 6.9 in 1985.

DEATHS

The number of registered deaths among Connecticut residents for 1986 was 28,015, for a crude rate of 8.6 per 1,000 population. Of the total number of resident deaths, 14,089 were males and 13,926 were females.

When total resident deaths are examined by age of the deceased, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 10,282 in 1986, or 36.7% of the total number of resident deaths. The median age at death was 74.6. Death for females occurred at an older age than males, a median of 78.5 and 71.1 respectively.

LEADING CAUSES OF DEATH

In 1986 as in 1985, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, influenza and pneumonia and accidents. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,401 resident deaths in 1986, for a total proportional share of 37.1%. The median age at death from heart disease was 77.6. Acute myocardial infarction claimed a 28.3% share of total heart disease mortality with a 38.3% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 75.6; for other ischemic heart disease, median age was 80.3.

Malignant Neoplasms

There were 6,822 deaths attributed to malignant neoplasms in 1986, a proportional share of 24.4% of all resident mortality. The median age at death due to cancer was 70.3. Malignant neoplasms of the digestive organs accounted for 26.3% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (25.1%), of the genitourinary system (15.3%), of the breast (9.7%) and of the lymphatic and hematopoietic tissue (8.9%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 1,814 resident deaths in Connecticut. This cause of death had a proportional share of 6.3% of total resident deaths, a decrease from 6.6% in 1985. The median age at death from cerebrovascular disease was 81.1.

Influenza and Pneumonia

There were 1,040 deaths from these causes; amounting to 3.7% of all resident deaths, the same proportional share as in 1985. The crude mortality rate per 100,000 population was 32.1.

Accidents

A total of 926 accidents, of all types, accounted for 3.3% of all resident deaths in 1986. This is the same as the proportional share in 1985. Of this total 47.3% was attributed to resident motor vehicle accidents, a decrease from 49.1% in 1985. Over forty-one percent (41.3%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 15.0% share of the total accidents.

INFANT MORTALITY

There were 406 resident infant deaths in Connecticut in 1986, a rate of 9.0 per 1,000 live births, compared to the previous year's total of 434, or 9.9 deaths per 1,000 live births. From 1985, this represents a decrease in infant deaths of 6.5%. While the statewide infant death rate has been dropping steadily in recent years, this decline has taken place to a large extent outside the state's major urban areas and among predominantly white populations. Connecticut was under the national rate of 10.4 infant deaths per 1,000 live births. Of all resident infant deaths, 46.6% occurred within the first day of life, 66.5% within the first week and 74.9% within the first month. Neonatal deaths showed an 11.1% decrease from 342 in 1985 to 304 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 27,378 in 1986, a 0.2% increase over the previous year. The current year's total represents a marriage rate of 16.9 persons marrying in Connecticut per 1,000 population compared to 17.1/1,000 in 1985. The median age at marriage for grooms was 28.0, and for brides, 26.0. These are the same as the median ages in 1985.

MARRIAGE DISSOLUTIONS

There were 11,545 marriages dissolved in Connecticut during 1986, for a marriage dissolution rate of 7.1 persons per 1,000 population. The current rate is the same as the rate in 1985.

Duration of Marriage

The median duration of those marriages which terminated in 1986 was 8.0 years, which is shorter than the median duration of 9.0 years in 1985 and 8.9 years in 1984.

Connecticut State Department of Health Services
Health Surveillance and Planning

Table 1: Interim* Population Estimate of Connecticut by Age and Sex
As of July 1, 1986

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,561,760	1,679,740	3,241,500
0- 4	107,680	102,550	210,230
5- 9	101,300	97,350	198,650
10-14	101,780	97,130	198,910
15-19	127,100	122,890	249,990
20-24	136,140	135,230	271,370
25-29	133,340	137,420	270,760
30-34	133,040	132,150	265,190
35-39	121,590	129,960	251,550
40-44	102,000	109,160	211,160
45-49	81,940	87,710	169,650
50-54	75,490	80,840	156,330
55-59	82,400	88,830	171,230
60-64	77,960	88,580	166,540
65-69	66,670	81,020	147,690
70-74	49,010	66,150	115,160
75-79	32,160	51,140	83,300
80-84	18,380	35,560	53,940
85 & over	13,780	36,070	49,850
65+	180,000	269,940	449,940

*These figures reflect changes from the methodology used in previous reports. This methodology is still under review and should be finalized in the near future.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,241,500	44,940	304	28,163	27,378	44,881	6,444	8,580	3,227	287	82	28,015	1,786	23,943	24,908	13.8	8.6	15.1
HSA I, Southwestern	644,450	9,478	51	5,419	5,499	8,582	1,866	1,549	815	54	13	5,625	483	4,348	4,702	13.3	8.7	14.0
Bridgeport	143,500	4,809	36	2,351	1,114	2,808	946	675	376	24	8	1,514	246	1,228	1,218	19.6	10.6	17.0
Darien	19,000	0	0	49	240	216	6	9	1	0	0	154	0	83	112	11.4	8.1	10.3
Easton	6,290	1	0	10	51	62	4	6	2	0	0	39	0	39	39	9.9	6.2	12.4
Fairfield	55,720	1	0	290	410	589	14	44	3	3	0	523	0	292	321	10.6	9.4	11.0
Greenwich	60,370	1,075	3	556	566	522	34	40	10	3	0	528	6	310	354	8.6	8.7	11.0
Monroe	16,280	0	0	21	86	219	5	8	0	2	1	78	0	76	95	13.5	4.8	10.5
New Canaan	18,580	0	0	64	194	145	2	9	1	1	0	131	1	64	102	7.8	7.1	8.9
Norwalk	80,000	1,677	5	737	633	1,169	281	306	176	4	1	604	86	700	707	14.6	7.6	17.6
Stamford	107,560	1,911	7	957	987	1,524	488	342	229	7	2	914	124	852	912	14.2	8.5	16.4
Stratford	50,860	2	0	154	418	559	62	52	16	9	1	558	18	315	356	11.0	11.0	13.2
Trumbull	33,830	1	0	105	340	310	13	16	0	1	0	271	1	152	203	9.2	8.0	10.5
Weston	8,940	0	0	19	79	73	2	5	0	0	0	39	0	41	33	8.2	4.4	8.3
Westport	26,570	0	0	76	284	223	4	19	0	0	0	181	1	143	168	8.4	6.8	11.7
Wilton	16,950	1	0	30	97	163	5	18	1	0	0	91	0	53	82	9.6	5.4	8.0
HSA II, South Central	616,990	9,066	80	6,142	4,883	8,710	1,469	1,746	792	60	24	5,599	470	4,674	4,813	14.1	9.1	15.4
Ansonia	19,030	0	0	26	155	296	42	49	22	2	1	188	18	144	150	15.6	9.9	15.4
Bethany	4,550	0	0	4	19	50	1	4	0	0	0	25	3	23	25	11.0	5.5	10.5
Branford	25,720	1	0	895	230	341	9	29	3	0	0	232	2	218	220	13.3	9.0	17.0
Derby	12,350	605	8	383	118	172	7	34	3	2	0	120	2	102	122	13.9	9.7	18.1
East Haven	25,570	2	0	22	165	362	6	39	1	0	0	219	1	209	203	14.2	8.6	16.1
Guilford	19,190	0	0	60	142	248	7	18	1	1	0	104	1	101	100	12.9	5.4	10.5
Hamden	51,590	0	0	236	360	642	64	51	19	5	1	580	15	332	363	12.4	11.2	13.5
Madison	15,080	2	0	34	125	139	2	10	0	1	0	100	1	68	91	9.2	6.6	10.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence										RESIDENT RATES PER 1,000 POPULATION		
						Live Births				Fetal Deaths		Total Deaths		Marriages				
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Meriden	59,160	1,009	3	659	464	936	70	202	33	6	0	553	7	525	518	15.8	9.3	17.6
Milford	51,980	613	2	327	463	700	20	78	4	3	0	435	3	419	437	13.5	8.4	16.5
New Haven	126,490	6,831	67	2,612	1,148	2,166	1,043	930	636	29	19	1,368	366	992	962	17.1	10.8	15.4
North Branford	12,600	0	0	11	86	147	1	9	1	1	0	72	2	82	86	11.7	5.7	13.3
North Haven	22,360	0	0	45	148	213	9	14	2	0	0	179	9	129	169	9.5	8.0	13.3
Orange	13,440	1	0	33	109	105	3	5	0	0	0	107	2	65	74	7.8	8.0	10.3
Oxford	7,410	0	0	11	67	112	0	6	0	1	0	32	0	54	52	15.1	4.3	14.3
Seymour	13,870	1	0	18	109	191	2	18	1	0	0	106	1	128	125	13.8	7.6	18.2
Shelton	34,720	0	0	133	203	436	14	33	3	0	0	261	0	230	258	12.6	7.5	14.1
Wallingford	39,660	1	0	212	359	520	9	48	3	1	0	371	7	323	322	13.1	9.4	16.3
West Haven	54,050	0	0	405	331	856	155	161	58	7	3	484	28	503	498	15.8	9.0	18.5
Woodbridge	8,170	0	0	16	82	78	4	8	2	1	0	63	2	27	38	9.5	7.7	8.0
HSA III, Eastern	523,300	5,681	31	3,788	4,860	7,426	553	1,086	204	39	6	4,161	100	4,188	4,277	14.2	8.0	16.2
Ashford	3,400	1	0	0	26	44	3	4	0	0	0	18	0	33	29	12.9	5.3	18.2
Bozrah	2,270	0	0	3	15	31	0	3	0	0	0	20	0	13	19	13.7	8.8	14.1
Brooklyn	6,280	0	0	22	40	60	2	16	1	0	0	49	0	51	51	9.6	7.8	16.2
Canterbury	3,790	0	0	1	29	48	1	8	1	0	0	17	0	37	35	12.7	4.5	19.0
Chaplin	1,880	0	0	1	10	27	0	3	0	0	0	12	0	14	13	14.4	6.4	14.4
Chester	3,220	0	0	37	51	42	1	4	0	0	0	28	0	29	26	13.0	8.7	17.1
Clinton	12,200	2	0	21	92	189	2	16	1	2	0	92	1	103	126	15.5	7.5	18.8
Colchester	8,880	2	0	54	65	179	2	18	1	0	0	74	1	74	77	20.2	8.3	17.0
Columbia	3,750	0	0	10	27	51	0	7	0	1	0	26	0	34	41	13.6	6.9	20.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Coventry	9,240	2	0	7	84	159	1	15	0	1	0	45	0	76	78	17.2	4.9	16.7
Cromwell	11,390	0	0	51	77	163	4	13	0	2	0	106	1	107	96	14.3	9.3	17.8
Deep River	4,180	1	0	17	37	76	2	9	0	0	0	37	2	28	24	18.2	8.9	12.4
Durham	5,530	0	0	4	59	75	0	7	0	0	0	24	1	39	42	13.6	4.3	14.6
Eastford	1,040	0	0	4	7	14	0	2	0	0	0	5	0	10	7	13.5	4.8	16.3
East Haddam	6,270	0	0	21	73	85	1	13	1	1	0	46	0	46	49	13.6	7.3	15.2
East Hampton	9,350	1	0	27	67	138	3	7	1	1	0	56	3	74	69	14.8	6.0	15.3
East Lyme	14,830	1	0	34	123	172	4	10	0	0	0	129	0	102	93	11.6	8.7	13.1
Essex	5,410	2	0	50	65	62	3	5	0	0	0	57	0	42	39	11.5	10.5	15.0
Franklin	1,740	0	0	1	12	20	1	0	0	1	1	12	0	13	10	11.5	6.9	13.2
Griswold	9,630	1	0	48	66	139	1	11	0	0	0	85	1	93	83	14.4	8.8	18.3
Groton	43,280	593	0	152	445	894	90	85	21	6	1	277	4	399	370	20.7	6.4	17.8
Haddam	6,740	1	0	11	49	66	2	8	0	1	0	65	0	59	51	9.8	9.6	16.3
Hampton	1,450	0	0	2	20	25	0	6	0	0	0	15	1	8	11	17.2	10.3	13.1
Killingly	15,200	0	0	128	238	237	7	68	3	0	0	140	1	150	148	15.6	9.2	19.6
Killingworth	4,350	1	0	5	39	49	0	7	0	0	0	25	0	25	25	11.3	5.7	11.5
Lebanon	5,280	1	0	8	46	70	0	3	0	0	0	32	0	39	36	13.3	6.1	14.2
Ledyard	14,700	1	0	11	94	219	14	15	1	0	0	58	1	104	115	14.9	3.9	14.9
Lisbon	3,500	0	0	3	12	27	1	2	0	0	0	18	0	29	29	7.7	5.1	16.6
Lyme	1,910	0	0	2	19	18	0	1	0	0	0	21	0	11	13	9.4	11.0	12.6
Mansfield	20,810	2	0	17	104	135	15	17	2	1	0	73	1	78	88	6.5	3.5	8.0
Middlefield	3,900	0	0	1	5	40	0	3	0	0	0	29	0	28	28	10.3	7.4	14.4
Middletown	41,220	1,081	10	717	335	575	114	124	60	5	3	323	18	358	349	14.0	7.8	17.2

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

		Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
	Population estimated as of July 1, 1986	Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Colum Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Montville	17,000	0	0	12	94	261	9	21	2	1	0	100	2	127	142	15.4	5.9	15.8
New London	28,720	1,680	10	624	468	485	137	114	56	3	1	267	35	309	317	16.9	9.3	21.8
North Stonington	4,370	2	0	3	49	56	3	2	0	0	0	13	0	34	36	12.8	3.0	16.0
Norwich	38,480	1,165	3	655	436	676	71	133	28	0	0	431	16	396	391	17.6	11.2	20.5
Old Lyme	6,540	1	0	17	99	70	3	4	1	0	0	63	0	55	60	10.7	9.6	17.6
Old Saybrook	9,880	1	0	93	138	80	1	6	1	0	0	84	1	81	83	8.1	8.5	16.6
Plainfield	13,170	1	0	35	89	199	2	31	1	3	0	103	0	88	106	15.1	7.8	14.7
Pomfret	2,920	0	0	8	36	31	0	2	0	0	0	22	0	25	28	10.6	7.5	18.2
Portland	8,610	1	0	41	101	82	3	13	2	0	0	84	3	54	63	9.5	9.8	13.6
Preston	4,830	1	0	12	49	24	0	0	0	0	0	29	0	23	25	5.0	6.0	9.9
Putnam	8,900	729	6	277	61	128	4	32	3	1	0	127	0	81	84	14.4	14.3	18.5
Salem	2,800	0	0	2	14	52	4	3	0	0	0	15	0	21	17	18.6	5.4	13.6
Scotland	1,130	3	0	1	11	22	0	0	0	0	0	12	0	4	4	19.5	10.6	7.1
Sprague	3,070	0	0	6	16	62	0	8	0	2	0	26	0	28	32	20.2	8.5	19.5
Sterling	1,920	1	0	1	19	30	0	7	0	0	0	19	0	13	19	15.6	9.9	16.7
Stonington	17,610	1	1	68	242	168	7	20	3	2	0	187	1	94	108	9.5	10.6	11.5
Thompson	8,450	0	0	23	86	109	5	19	3	1	0	78	0	52	52	12.9	9.2	12.3
Union	550	0	0	0	6	5	0	0	0	0	0	4	0	1	1	9.1	7.3	3.6
Voluntown	1,760	0	0	2	18	33	1	5	0	0	0	16	0	17	18	18.8	9.1	19.9
Waterford	18,700	3	0	133	111	175	10	11	1	1	0	156	3	111	132	9.4	8.3	13.0
Westbrook	5,470	1	0	8	75	69	2	8	0	0	0	56	0	50	57	12.6	10.2	19.6
Willington	5,000	0	0	5	19	71	2	4	0	1	0	20	1	28	32	14.2	4.0	12.0
Windham	21,340	398	1	282	160	336	15	127	10	1	0	195	2	159	167	15.7	9.1	15.3
Woodstock	5,460	0	0	10	32	73	0	6	0	1	0	40	0	31	33	13.4	7.3	11.7

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV. North Central	933,370	14,431	104	8,320	7,827	12,996	1,980	3,159	1,153	85	33	8,054	557	6,968	7,252	13.9	8.6	15.2
Andover	2,400	0	0	0	0	30	0	2	0	0	0	10	0	13	12	12.5	4.2	10.4
Avon	12,940	1	0	71	109	129	3	6	0	0	0	90	2	74	87	10.0	7.0	12.4
Berlin	15,900	0	0	52	119	186	3	12	0	0	0	136	1	84	107	11.7	8.6	12.0
Bloomfield	20,140	0	0	155	116	186	86	54	39	0	0	196	39	115	111	9.2	9.7	11.2
Bolton	4,260	0	0	6	43	65	1	3	0	1	0	25	0	43	44	15.3	5.9	20.4
Bristol	60,250	853	0	461	533	879	33	135	13	4	1	497	11	527	559	14.6	8.2	18.0
Burlington	6,430	1	0	7	66	101	0	7	0	0	0	34	0	43	31	15.7	5.3	11.5
Canton	7,960	0	0	12	42	115	3	18	0	0	0	53	0	44	51	14.4	6.7	11.9
East Granby	4,330	0	0	6	17	69	1	3	0	0	0	21	0	31	25	15.9	4.9	12.9
East Hartford	52,180	2	0	229	360	659	63	116	21	3	2	476	10	479	482	12.6	9.1	18.4
East Windsor	9,270	1	0	44	132	125	9	19	3	0	0	86	3	81	99	13.5	9.3	19.4
Ellington	10,830	0	0	20	70	160	5	5	1	1	0	61	1	100	87	14.8	5.6	17.3
Enfield	44,290	1	0	163	420	533	17	78	4	2	0	309	2	309	338	12.0	7.0	14.6
Farmington	18,430	621	2	339	193	205	6	19	0	3	0	142	2	144	133	11.1	7.7	15.0
Glastonbury	27,210	2	0	71	233	286	15	25	2	2	0	175	3	155	158	10.5	6.4	11.5
Granby	8,920	1	0	7	44	127	3	7	0	0	0	38	0	54	42	14.2	4.3	10.8
Hartford	135,080	8,685	78	3,124	1,354	2,988	1,344	1,901	948	34	23	1,379	400	1,182	1,157	22.1	10.2	17.3
Hartland	1,540	0	0	4	10	31	0	1	0	0	0	7	0	6	12	20.1	4.5	11.7
Hebron	6,520	1	0	8	29	131	1	7	0	0	0	31	0	40	36	20.1	4.8	11.7
Manchester	51,100	1,338	5	572	514	686	39	101	15	1	0	467	5	460	462	13.4	9.1	18.0
Marlborough	5,150	0	0	9	29	80	2	3	0	2	1	24	0	33	30	15.5	4.7	12.2
New Britain	74,240	2,247	13	904	616	1,097	134	211	45	7	5	798	25	668	644	14.8	10.7	17.7
Newington	29,350	0	0	310	198	244	8	19	2	1	0	235	1	187	222	8.3	8.0	13.9
Plainville	17,450	1	0	78	97	224	9	14	2	0	0	146	7	122	122	12.8	8.4	14.0

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Plymouth	11,160	0	0	25	67	158	1	21	1	0	0	96	0	86	81	14.2	8.6	15.0
Rocky Hill	15,550	0	0	201	109	190	9	12	2	0	0	131	2	163	146	12.2	8.4	19.9
Simsbury	23,030	1	0	67	196	228	5	16	0	2	0	126	1	108	136	9.9	5.5	10.6
Somers	9,270	0	0	14	83	87	1	6	0	2	0	46	0	40	44	9.4	5.0	9.1
Southington	38,590	0	0	204	396	490	9	46	3	2	0	256	2	250	293	12.7	6.6	14.[illegible]
South Windsor	20,850	1	0	51	210	299	20	22	2	1	0	93	3	153	175	14.3	4.5	15.[illegible]
Stafford	10,210	2	0	100	80	169	2	26	0	1	0	86	0	86	83	16.6	8.4	16.6
Suffield	10,520	0	0	16	96	135	6	11	2	1	0	81	2	60	69	12.8	7.7	12.3
Tolland	10,670	1	0	13	53	157	5	11	0	0	0	45	0	59	51	14.7	4.2	10.3
Vernon	29,390	668	6	248	230	466	17	78	6	3	0	239	2	261	286	15.9	8.1	18.6
West Hartford	61,180	1	0	375	449	568	42	60	17	2	0	737	9	309	366	9.3	12.0	11.0
Wethersfield	27,410	1	0	101	218	226	9	24	4	2	0	321	3	131	187	8.2	11.7	11.6
Windsor	27,040	1	0	212	212	345	61	51	20	7	1	254	17	172	183	12.8	9.4	13.1
Windsor Locks	12,330	0	0	41	84	142	5	9	1	1	0	107	4	96	101	11.5	8.7	16.0
HSA V, Northwestern	523,390	6,284	38	4,494	4,309	7,167	576	1,040	263	49	6	4,576	176	3,765	3,864	13.7	8.7	14.6
Barkhamsted	3,050	0	0	4	22	49	0	6	0	0	0	11	0	19	18	16.1	3.6	12.1
Beacon Falls	4,370	0	0	6	20	51	1	7	0	0	0	30	0	35	27	11.7	6.9	14.2
Bethel	17,250	1	0	11	101	252	15	37	5	0	0	86	1	113	116	14.6	5.0	13.3
Bethlehem	2,780	0	0	6	26	37	0	2	0	0	0	22	0	27	20	13.3	7.9	16.9
Bridgewater	1,560	0	0	3	6	19	0	0	0	0	0	7	0	5	2	12.2	4.5	4.5
Brookfield	14,330	1	0	15	123	161	4	10	0	2	0	73	0	91	118	11.2	5.1	14.6
Canaan	1,030	0	0	2	4	28	0	1	0	0	0	22	1	7	5	27.2	21.4	11.7
Cheshire	24,560	1	0	124	129	261	6	18	0	2	0	190	3	112	128	10.6	7.7	9.8

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Colebrook	1,290	0	0	9	10	13	0	1	0	0	0	14	0	8	10	10.1	10.9	14.0
Cornwall	1,370	0	0	4	19	11	0	2	0	0	0	16	0	8	8	8.0	11.7	11.7
Danbury	67,230	2,245	16	868	559	1,008	137	195	71	8	0	512	29	561	550	15.0	7.6	16.5
Goshen	2,080	0	0	5	27	20	0	1	0	0	0	19	0	19	16	9.6	9.1	16.8
Harwinton	5,130	1	0	7	39	53	1	5	0	1	0	31	0	33	26	10.3	6.0	11.5
Kent	2,700	1	0	12	19	30	0	5	0	0	0	30	0	15	16	11.1	11.1	11.5
Litchfield	8,080	2	0	34	115	101	0	7	0	0	0	82	0	57	60	12.5	10.1	14.5
Middlebury	6,250	0	0	32	48	60	2	6	1	0	0	50	0	33	38	9.6	8.0	11.4
Morris	1,960	0	0	4	15	20	0	1	0	0	0	8	0	10	14	10.2	4.1	12.2
Naugatuck	29,070	1	0	78	204	478	16	36	5	9	2	250	1	243	260	16.4	8.6	17.3
New Fairfield	12,170	1	0	11	83	168	3	6	0	3	0	69	0	65	72	13.8	5.7	11.3
New Hartford	5,210	0	0	9	56	78	1	8	0	1	0	36	1	38	41	15.0	6.9	15.2
New Milford	21,200	417	2	249	143	339	10	33	0	2	0	151	3	157	160	15.9	7.1	15.0
Newtown	20,370	2	0	85	157	272	4	21	0	0	0	136	3	112	115	13.4	6.7	11.1
Norfolk	2,210	0	0	6	42	38	0	6	0	0	0	26	0	6	15	17.2	11.8	9.5
North Canaan	3,320	0	0	52	23	21	0	2	0	0	0	27	0	15	17	6.3	8.1	9.6
Prospect	7,300	0	0	29	66	81	3	5	1	0	0	51	2	54	61	11.1	7.0	15.8
Redding	7,820	1	0	11	118	102	3	6	0	0	0	39	0	43	47	13.0	5.0	11.5
Ridgefield	21,710	2	0	32	264	219	4	19	0	0	0	108	1	114	125	10.1	5.0	11.0
Roxbury	1,680	1	0	2	14	11	0	2	0	0	0	16	0	11	12	6.5	9.5	13.7
Salisbury	4,040	2	0	20	38	33	1	4	0	1	0	40	0	13	15	8.2	9.9	6.9
Sharon	2,750	423	1	150	33	24	0	3	0	1	0	26	0	9	10	8.7	9.5	6.9
Sherman	2,520	0	0	5	27	25	0	1	0	1	0	24	0	16	15	9.9	9.5	12.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1986

	Population estimated as of July 1, 1986	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V Northwestern Cont'd																		
Southbury	14,690	1	0	102	91	160	3	11	1	2	0	202	0	71	77	10.9	13.8	10.1
Thomaston	6,460	0	0	20	59	83	0	8	0	0	0	50	0	48	54	12.8	7.7	15.8
Torrington	32,260	725	6	435	236	405	14	70	4	3	0	379	3	277	271	12.6	11.7	17.0
Warren	1,110	0	0	3	33	11	0	1	0	0	0	14	0	8	7	9.9	12.6	13.5
Washington	3,870	1	0	14	38	53	0	7	0	1	0	26	0	24	26	13.7	6.7	12.9
Waterbury	106,160	2,453	13	1,709	869	1,736	337	418	174	8	4	1,243	127	903	917	16.4	11.7	17.1
Watertown	20,060	1	0	72	170	230	4	20	0	1	0	178	0	133	131	11.5	8.9	13.2
Winchester	11,060	0	0	134	107	181	5	33	1	2	0	121	1	100	101	16.4	10.9	18.2
Wolcott	13,840	0	0	46	89	131	1	6	0	1	0	100	0	89	79	9.5	7.2	12.1
Woodbury	7,490	1	0	14	67	115	1	10	0	0	0	61	0	63	64	15.4	8.1	17.0
Out of State*		1,027		960		1,086				17	1	1,108		3,435	2,470			

* "Out-of-State" figures in columns 2 and 4 refer to events experienced by Connecticut residents, which occurred out-of-state. "Out-of-State" figures in columns 6-15 reflect events experienced by out-of-state residents, which occurred in Connecticut.

TABLE 3: LIVE BIRTHS TO CONNECTICUT RESIDENTS, 1986

	ALL RACES										NONWHITE									
	AGE OF MOTHER										AGE OF MOTHER									
	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UNKNOWN	TOTAL	UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UNKNOWN
TOTAL	44,881	105	3,855	10,228	15,527	11,271	3,508	368	11	1	7	6,444	56	1,273	1,997	1,692	1,019	359	42	4	-	2
MALE	23,036	46	1,978	5,226	7,965	5,804	1,806	199	5	1	6	3,252	23	637	1,000	868	521	180	21	1	-	1
FEMALE	21,845	59	1,877	5,002	7,562	5,467	1,702	169	6	-	1	3,192	33	636	997	824	498	179	21	3	-	1
PLACE OF DELIVERY																						
HOSPITAL	44,716	102	3,843	10,204	15,475	11,218	3,491	364	11	1	7	6,407	53	1,266	1,988	1,683	1,013	357	41	4	-	2
OTHER	158	3	11	21	51	51	17	4	-	-	-	37	3	7	9	9	6	2	1	-	-	-
UNKNOWN	7	-	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	36,301	13	1,468	7,306	13,792	10,249	3,125	334	8	1	5	3,217	4	278	860	1,047	733	264	29	2	-	-
MOTHER UNMARRIED	8,580	92	2,387	2,922	1,735	1,022	383	34	3	-	2	3,227	52	995	1,137	645	286	95	13	2	-	2
PERIOD OF GESTATION																						
UNDER 20 WEEKS	15	-	1	4	9	-	1	-	-	-	-	3	-	-	1	2	-	-	-	-	-	-
20-27 WEEKS	234	4	25	60	78	50	17	-	-	-	-	78	3	16	18	27	10	4	-	-	-	-
28-31 WEEKS	233	1	30	52	69	59	21	1	-	-	-	69	-	12	22	16	11	8	-	-	-	-
32-35 WEEKS	911	3	132	222	270	206	73	4	1	-	-	218	2	66	64	47	31	7	-	1	-	-
36 WEEKS	899	7	106	224	280	204	68	10	-	-	-	191	5	42	66	45	23	9	1	-	-	-
37-39 WEEKS	12,292	31	1,002	2,707	4,189	3,200	1,038	120	3	-	2	1,947	17	391	570	517	322	119	10	-	-	-
40 WEEKS OR OVER	25,085	44	1,997	5,706	8,930	6,322	1,891	184	7	1	3	3,132	22	569	997	834	500	179	27	3	-	1
NOT STATED	5,212	15	562	1,253	1,702	1,230	399	49	-	-	2	806	7	177	259	204	122	33	4	-	-	-
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	313	6	34	74	102	71	23	2	-	-	1	110	3	19	26	34	22	6	-	-	-	-
1001-1500 GRAMS	248	-	38	65	80	51	18	-	-	-	-	80	-	13	26	27	9	5	-	-	-	-
1501-2000 GRAMS	559	1	72	134	165	138	44	3	1	-	1	167	1	33	55	38	27	10	2	1	-	-
2001-2500 GRAMS	1,816	8	259	457	545	386	146	14	-	-	1	431	2	117	130	104	58	18	1	-	-	1
2501-3000 GRAMS	6,746	26	822	1,805	2,167	1,426	457	41	1	-	1	1,438	14	344	485	344	191	55	5	-	-	-
3001-3500 GRAMS	16,314	49	1,479	3,959	5,645	3,896	1,163	118	3	-	2	2,486	30	486	784	647	374	141	22	1	-	1
3501-4000 GRAMS	13,479	13	885	2,745	4,903	3,695	1,112	120	5	1	-	1,334	4	214	385	383	248	89	9	2	-	-
4001-4500 GRAMS	4,302	1	222	818	1,544	1,266	407	42	1	-	1	334	1	40	92	97	70	32	2	-	-	-
4501 GRAMS AND OVER	885	-	43	152	318	272	86	14	-	-	-	56	-	6	10	17	20	2	1	-	-	-
UNKNOWN	219	1	5	19	58	70	52	14	-	-	-	8	1	1	4	1	-	1	-	-	-	-
PLURAL BIRTHS																						
SINGLE	43,792	99	3,786	10,041	15,141	10,937	3,405	366	11	1	5	6,286	54	1,242	1,970	1,636	985	351	42	4	-	2
TWINS	1,067	6	69	187	374	324	103	2	-	-	2	158	2	31	27	56	34	8	-	-	-	-
TRIPLETS	22	-	-	-	12	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	44,881	2,936	219	105	238	455	709	1,081	1,372	10228	15527	11271	3,508	368	12	7
NONWHITE	6,444	788	8	56	108	193	266	333	373	1,997	1,692	1,019	359	42	4	2
HSA 1 SOUTHWESTERN																
ALL RACES	8,582	556	151	27	57	97	167	214	252	1,696	2,769	2,319	866	114	4	-
NONWHITE	1,866	214	3	17	32	50	84	85	111	550	498	312	114	12	1	-
BRIDGEPORT																
ALL RACES	2,808	226	7	19	36	61	118	120	174	915	850	368	134	13	-	-
NONWHITE	946	105	2	10	18	26	56	38	78	311	242	119	45	3	-	-
DARIEN																
ALL RACES	216	10	16	-	-	-	-	1	1	7	60	109	30	7	1	-
NONWHITE	6	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-
EASTON																
ALL RACES	62	4	-	-	-	-	-	2	-	1	17	30	9	3	-	-
NONWHITE	4	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-
FAIRFIELD																
ALL RACES	589	20	4	1	-	2	4	6	2	50	206	224	82	11	1	-
NONWHITE	14	-	-	-	-	-	-	1	-	4	5	2	1	-	1	-
GREENWICH																
ALL RACES	522	20	35	-	1	1	1	6	-	59	155	190	88	21	-	-
NONWHITE	34	4	-	-	1	1	-	1	-	5	7	13	6	-	-	-
MONROE																
ALL RACES	219	11	1	-	-	-	-	-	1	26	87	75	26	3	1	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
NEW CANAAN																
ALL RACES	145	6	4	-	-	-	-	-	1	13	29	59	38	5	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
NORWALK																
ALL RACES	1,169	86	12	2	8	13	22	31	32	189	456	306	100	10	-	-
NONWHITE	281	43	-	2	5	11	14	18	12	73	82	46	16	2	-	-
STAMFORD																
ALL RACES	1,524	96	38	4	9	15	16	34	30	290	479	462	164	21	-	-
NONWHITE	488	54	-	4	7	11	14	22	20	136	130	99	38	7	-	-
STRATFORD																
ALL RACES	559	39	2	1	3	4	5	9	7	102	214	181	31	2	-	-
NONWHITE	62	3	1	1	1	1	-	3	1	18	23	11	3	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
TRUMBULL																
ALL RACES	310	20	1	-	-	-	-	-	4	20	101	132	49	4	-	-
NONWHITE	13	3	-	-	-	-	-	-	-	1	2	6	4	-	-	-
WESTON																
ALL RACES	73	3	8	-	-	-	-	-	-	5	22	26	20	-	-	-
NONWHITE	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
WESTPORT																
ALL RACES	223	5	20	-	-	-	1	4	-	13	55	84	57	9	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-
WILTON																
ALL RACES	163	10	3	-	-	1	-	1	-	6	38	73	38	5	1	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES	8,710	578	15	28	46	100	138	210	271	1,916	3,064	2,202	665	66	4	-
NONWHITE	1,469	194	-	20	27	62	71	83	86	453	363	219	78	6	1	-
ANSONIA																
ALL RACES	296	17	-	1	-	3	3	6	8	81	116	66	11	1	-	-
NONWHITE	43	7	-	1	-	2	2	-	2	12	12	8	4	-	-	-
BETHANY																
ALL RACES	50	2	-	-	-	1	1	-	-	6	12	24	4	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BRANFORD																
ALL RACES	341	14	-	-	2	1	2	3	5	49	129	115	31	4	-	-
NONWHITE	9	-	-	-	-	-	1	1	-	2	3	2	-	-	-	-
DERBY																
ALL RACES	172	9	-	-	1	1	2	4	8	49	58	37	10	2	-	-
NONWHITE	7	1	-	-	-	-	-	-	-	3	2	1	1	-	-	-
EAST HAVEN																
ALL RACES	362	22	-	-	1	1	3	9	9	79	135	99	23	3	-	-
NONWHITE	6	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-
GUILFORD																
ALL RACES	248	4	-	-	1	1	3	1	5	21	71	103	40	2	-	-
NONWHITE	7	-	-	-	1	-	-	-	-	-	2	2	2	-	-	-
HAMDEN																
ALL RACES	642	43	-	1	1	1	2	8	7	92	261	202	63	4	-	-
NONWHITE	64	2	-	1	1	1	-	4	1	18	17	18	3	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MADISON																
ALL RACES	139	9	1	-	1	-	2	-	-	20	35	60	19	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
MERIDEN																
ALL RACES	936	63	-	4	7	9	17	30	41	259	334	182	48	5	-	-
NONWHITE	70	12	-	-	2	3	6	-	4	29	14	9	3	-	-	-
MILFORD																
ALL RACES	700	26	4	1	-	2	4	9	12	123	283	205	57	4	-	-
NONWHITE	20	3	-	-	-	1	-	-	-	3	6	5	5	-	-	-
NEW HAVEN																
ALL RACES	2,166	219	5	20	27	72	79	109	119	646	556	386	130	21	1	-
NONWHITE	1,043	147	-	18	21	52	58	75	73	334	239	127	39	6	1	-
NORTH BRANFORD																
ALL RACES	147	10	-	-	-	-	-	-	1	17	70	50	9	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NORTH HAVEN																
ALL RACES	213	12	1	-	-	1	-	4	1	17	94	64	29	3	-	-
NONWHITE	9	2	-	-	-	-	-	-	-	3	1	4	1	-	-	-
ORANGE																
ALL RACES	105	4	-	-	-	-	-	-	1	7	36	44	15	1	1	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
OXFORD																
ALL RACES	112	7	-	-	-	-	-	2	2	11	45	38	14	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR																
ALL RACES	191	11	-	-	-	-	3	2	4	43	75	52	10	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
SHELTON																
ALL RACES	436	14	-	-	1	-	4	5	8	75	165	130	43	4	1	-
NONWHITE	14	1	-	-	-	-	-	-	1	2	5	3	3	-	-	-
WALLINGFORD																
ALL RACES	520	30	1	-	1	2	2	3	9	93	233	131	44	2	-	-
NONWHITE	9	2	-	-	-	-	-	-	-	1	1	4	3	-	-	-
WEST HAVEN																
ALL RACES	856	57	3	1	3	5	10	15	30	221	334	186	48	2	1	-
NONWHITE	155	17	-	-	2	3	4	2	5	41	56	32	10	-	-	-
WOODBRIDGE																
ALL RACES	78	5	-	-	-	-	1	-	1	7	22	28	17	2	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HSA 3 EASTERN																
ALL RACES	7,426	422	11	5	24	51	112	157	239	2,045	2,668	1,563	492	65	1	4
NONWHITE	553	48	2	2	6	10	17	25	18	179	167	90	30	8	-	1
ASHFORD																
ALL RACES	44	1	-	-	-	-	-	1	1	12	13	14	2	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
BOZRAH																
ALL RACES	31	1	-	-	-	1	1	-	-	4	10	14	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES	60	4	-	-	1	3	3	2	-	13	21	15	2	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CANTERBURY																
ALL RACES	48	4	-	-	-	-	1	1	1	9	22	12	2	-	-	-
NONWHITE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CHAPLIN																
ALL RACES	27	1	-	-	-	-	-	1	1	6	12	4	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES	42	-	-	-	-	-	-	-	1	8	15	10	7	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CLINTON																
ALL RACES	189	16	-	1	-	-	3	1	1	37	75	57	13	1	-	-
NONWHITE	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
COLCHESTER																
ALL RACES	179	12	-	-	-	2	2	1	1	31	80	48	11	3	-	-
NONWHITE	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
COLUMBIA																
ALL RACES	51	-	-	-	-	-	1	-	-	6	21	20	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY																
ALL RACES	159	4	-	-	-	-	-	3	2	34	66	35	15	4	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CROMWELL																
ALL RACES	163	9	-	-	-	-	-	2	-	18	71	54	16	2	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
DEEP RIVER																
ALL RACES	76	2	-	-	-	-	-	1	1	18	28	20	6	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
DURHAM																
ALL RACES	75	4	-	-	-	-	2	1	2	4	23	25	15	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD																
ALL RACES	14	1	-	-	-	-	-	-	1	1	6	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	85	7	-	-	-	-	1	-	1	19	36	21	5	1	1	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EAST HAMPTON																
ALL RACES	138	4	-	-	-	1	-	2	-	19	63	34	15	3	-	1
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
EAST LYME																
ALL RACES	172	14	-	-	-	-	-	1	4	31	63	52	17	4	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
ESSEX																
ALL RACES	62	5	-	-	-	-	-	-	1	10	18	22	9	-	-	2
NONWHITE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
FRANKLIN																
ALL RACES	20	-	-	-	-	-	-	-	1	5	10	2	2	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
GRISWOLD																
ALL RACES	139	11	-	-	-	1	2	2	8	54	41	26	4	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
GROTON																
ALL RACES	894	52	2	-	1	2	11	11	32	337	327	130	41	2	-	-
NONWHITE	90	8	1	-	-	2	2	1	2	30	28	21	4	-	-	-
HADDAM																
ALL RACES	66	1	-	-	-	-	-	1	2	11	24	21	6	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
HAMPTON																
ALL RACES	25	-	-	-	-	-	-	1	-	1	9	8	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY																
ALL RACES	237	17	-	-	3	2	8	11	20	86	69	29	8	1	-	-
NONWHITE	7	2	-	-	-	1	-	-	-	3	3	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
KILLINGWORTH																
ALL RACES	49	2	-	-	-	-	1	-	2	7	14	19	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES	70	9	-	-	-	-	1	1	1	12	24	21	8	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD																
ALL RACES	219	13	-	-	-	-	2	1	3	45	89	57	20	2	-	-
NONWHITE	14	-	-	-	-	-	-	-	-	6	3	4	-	1	-	-
LISBON																
ALL RACES	27	-	-	-	-	2	-	-	1	5	13	5	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
LYME																
ALL RACES	18	-	-	-	-	1	-	-	1	2	6	4	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES	135	4	-	-	-	-	-	2	2	20	51	38	22	-	-	-
NONWHITE	15	-	-	-	-	-	-	-	-	3	7	4	1	-	-	-
MIDDLEFIELD																
ALL RACES	40	-	-	-	-	-	-	-	2	6	18	12	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES	575	47	-	1	2	6	9	12	19	167	199	124	33	3	-	-
NONWHITE	114	18	-	1	1	4	4	8	6	40	31	16	3	-	-	-
MONTVILLE																
ALL RACES	261	18	2	-	1	1	7	6	8	74	101	45	17	1	-	-
NONWHITE	9	2	-	-	-	-	-	-	-	3	6	-	-	-	-	-
NEW LONDON																
ALL RACES	485	23	3	1	4	7	16	20	21	172	148	72	20	4	-	-
NONWHITE	137	8	1	1	2	1	5	10	4	50	38	17	7	2	-	-
N STONINGTON																
ALL RACES	56	4	-	-	-	-	1	1	2	10	24	15	2	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
NORWICH																
ALL RACES	676	47	-	1	4	10	12	29	34	263	192	99	24	7	-	1
NONWHITE	71	6	-	-	1	1	3	4	4	21	22	10	2	2	-	1
OLD LYME																
ALL RACES	70	1	1	-	-	-	-	-	-	14	27	21	5	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
OLD SAYBROOK																
ALL RACES	80	1	-	-	-	-	2	-	1	17	26	26	7	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PLAINFIELD																
ALL RACES	199	14	-	-	-	3	5	7	7	67	79	24	6	1	-	-
NONWHITE	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
POMFRET																
ALL RACES	31	1	-	-	-	-	-	1	3	5	10	7	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND																
ALL RACES	82	2	-	-	1	2	-	-	3	15	35	17	8	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
PRESTON																
ALL RACES	24	1	-	-	-	-	1	-	-	8	9	2	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM																
ALL RACES	128	9	-	-	1	-	2	6	6	45	43	19	5	1	-	-
NONWHITE	4	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-
SALEM																
ALL RACES	52	2	-	-	-	-	-	1	-	7	18	20	6	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
SCOTLAND																
ALL RACES	22	3	-	-	-	-	-	-	-	6	10	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	62	-	-	-	-	1	-	2	2	23	19	11	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING																
ALL RACES		1	-	-	-	-	2	-	1	17	5	3	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	168	5	1	1	-	-	1	2	5	45	54	46	12	2	-	-
NONWHITE	7	2	-	-	-	-	-	-	1	4	1	-	1	-	-	-
THOMPSON																
ALL RACES	109	3	-	-	1	1	-	4	5	28	48	17	5	-	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
UNION																
ALL RACES	5	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER											
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
VOLUNTOWN																
ALL RACES	33	2	1	-	-	-	-	-	1	12	15	4	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WATERFORD																
ALL RACES	175	10	1	-	-	-	3	2	2	36	65	46	18	3	-	-
NONWHITE	10	1	-	-	-	-	-	-	-	3	1	4	2	-	-	-
WESTBROOK																
ALL RACES	69	4	-	-	1	-	1	3	3	13	32	12	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
WILLINGTON																
ALL RACES	71	4	-	-	-	1	-	-	1	18	25	16	10	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
WINDHAM																
ALL RACES	336	19	-	-	3	4	11	14	21	93	118	56	15	1	-	-
NONWHITE	15	-	-	-	1	-	1	1	-	4	7	1	-	-	-	-
WOODSTOCK																
ALL RACES	73	3	-	-	1	-	-	-	1	18	26	21	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	12,996	931	9	32	82	157	205	336	418	3,011	4,506	3,270	901	77	1	-
NONWHITE	1,980	263	1	14	32	53	71	101	125	634	520	311	106	12	1	-
ANDOVER																
ALL RACES	30	3	-	-	-	-	-	-	-	3	9	15	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON																
ALL RACES	129	6	-	-	-	-	1	-	-	5	43	54	25	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
BERLIN																
ALL RACES	186	9	-	-	-	-	-	1	2	21	76	71	14	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
BLOOMFIELD																
ALL RACES	186	16	-	-	2	1	3	8	11	34	47	64	16	-	-	-
NONWHITE	86	8	-	-	1	-	3	6	7	24	13	23	9	-	-	-
BOLTON																
ALL RACES	65	6	-	-	-	-	-	-	-	6	23	31	3	2	-	-
NONWHITE	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BRISTOL																
ALL RACES	879	44	1	-	2	3	10	22	22	224	374	187	35	-	-	-
NONWHITE	33	1	-	-	1	-	-	-	1	11	12	5	3	-	-	-
BURLINGTON																
ALL RACES	101	6	-	-	-	1	1	1	3	7	41	42	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON																
ALL RACES	115	8	-	-	-	-	-	2	1	16	36	45	14	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
EAST GRANBY																
ALL RACES	69	2	-	-	-	-	-	1	1	9	27	23	8	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EAST HARTFORD																
ALL RACES	659	47	-	1	1	5	6	12	19	181	250	149	33	2	-	-
NONWHITE	63	12	-	-	1	1	1	-	2	24	17	15	1	1	-	-
EAST WINDSOR																
ALL RACES	125	7	-	-	-	2	5	3	5	29	50	26	5	-	-	-
NONWHITE	9	1	-	-	-	1	1	-	-	3	2	2	-	-	-	-
ELLINGTON																
ALL RACES	160	9	-	-	1	-	-	2	5	18	69	54	10	1	-	-
NONWHITE	5	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
ENFIELD																
ALL RACES	533	26	1	1	1	5	5	9	11	121	226	120	29	5	-	-
NONWHITE	17	2	-	-	-	-	1	1	-	4	8	-	2	1	-	-
FARMINGTON																
ALL RACES	205	13	-	-	-	-	-	3	-	21	79	77	25	-	-	-
NONWHITE	6	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-
GLASTONBURY																
ALL RACES	286	15	-	-	1	-	-	5	-	28	88	115	48	1	-	-
NONWHITE	15	1	-	-	-	-	-	-	-	3	3	5	3	1	-	-
GRANBY																
ALL RACES	127	4	-	-	-	-	-	2	1	13	51	45	12	3	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
HARTFORD																
ALL RACES	2,988	357	5	27	58	97	118	173	204	1,072	746	363	118	11	1	-
NONWHITE	1,344	196	1	14	27	39	53	78	93	471	327	177	59	5	1	-
HARTLAND																
ALL RACES	31	2	-	-	-	-	-	1	-	-	7	18	3	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HEBRON																
ALL RACES	131	6	-	-	-	1	2	1	1	17	55	38	15	1	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-
MANCHESTER																
ALL RACES	686	28	-	-	3	5	8	9	17	151	268	176	47	2	-	-
NONWHITE	39	1	-	-	-	3	2	2	2	7	16	4	3	-	-	-
MARLBOROUGH																
ALL RACES	80	4	-	-	-	-	-	1	-	4	34	34	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NEW BRITAIN																
ALL RACES	1,097	78	-	3	4	17	23	35	39	320	395	210	46	5	-	-
NONWHITE	134	20	-	-	1	4	3	9	11	41	44	16	3	2	-	-
NEWINGTON																
ALL RACES	244	14	-	-	-	-	-	1	2	33	94	90	22	2	-	-
NONWHITE	8	1	-	-	-	-	-	-	-	2	-	6	-	-	-	-
PLAINVILLE																
ALL RACES	224	19	-	-	-	1	-	1	7	51	96	62	6	-	-	-
NONWHITE	9	1	-	-	-	-	-	-	1	1	4	3	-	-	-	-
PLYMOUTH																
ALL RACES	158	12	-	-	-	-	3	3	1	25	75	42	9	-	-	-
NONWHITE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ROCKY HILL																
ALL RACES	190	5	-	-	-	-	-	-	1	32	77	65	13	2	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	2	6	1	-	-	-	-
SIMSBURY																
ALL RACES	228	12	-	-	-	-	-	-	-	23	70	102	28	5	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
SOMERS																
ALL RACES	87	2	1	-	-	-	-	-	-	20	29	29	8	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SOUTHINGTON																
ALL RACES	490	25	1	-	-	2	5	11	11	99	174	138	47	3	-	-
NONWHITE	9	-	-	-	-	-	2	1	-	1	2	3	-	-	-	-
SOUTH WINDSOR																
ALL RACES	299	16	-	-	1	-	1	1	6	27	104	121	35	3	-	-
NONWHITE	20	1	-	-	-	-	-	-	-	2	7	6	5	-	-	-
STAFFORD																
ALL RACES	169	8	-	-	1	2	2	3	7	45	74	30	4	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SUFFIELD																
ALL RACES	135	12	-	-	1	1	-	1	1	18	62	36	12	3	-	-
NONWHITE	6	2	-	-	-	1	-	-	-	-	2	1	2	-	-	-
TOLLAND																
ALL RACES	157	4	-	-	-	1	-	2	1	29	62	46	15	1	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-
VERNON																
ALL RACES	466	34	-	-	2	6	3	11	20	147	151	101	20	5	-	-
NONWHITE	17	2	-	-	-	-	1	2	1	4	4	3	2	-	-	-
WEST HARTFORD																
ALL RACES	568	39	-	-	2	3	3	2	7	44	184	214	102	7	-	-
NONWHITE	42	7	-	-	-	3	1	-	3	7	15	9	4	-	-	-
WETHERSFIELD																
ALL RACES	226	9	-	-	-	1	2	1	1	29	76	90	25	1	-	-
NONWHITE	9	-	-	-	-	1	1	-	-	4	1	2	-	-	-	-
WINDSOR																
ALL RACES	345	20	-	-	2	3	4	6	6	54	121	117	28	4	-	-
NONWHITE	61	4	-	-	1	-	1	2	2	15	17	16	6	1	-	-
WINDSOR LOCKS																
ALL RACES	142	4	-	-	-	-	-	2	5	35	63	30	7	-	-	-
NONWHITE	5	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES	7,167	449	33	13	29	50	87	164	192	1,560	2,520	1,917	584	46	2	3
NONWHITE	576	69	2	3	11	18	23	39	33	181	144	87	31	4	1	1
BARKHAMSTED																
ALL RACES	49	2	-	-	1	-	-	-	1	5	19	19	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES	51	3	-	-	-	-	-	2	1	8	28	11	1	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
BETHEL																
ALL RACES	252	14	1	-	-	-	1	-	6	41	80	94	26	3	-	1
NONWHITE	15	-	-	-	-	-	1	-	-	2	6	3	3	-	-	-
BETHLEHEM																
ALL RACES	37	-	-	-	-	-	1	-	-	5	11	14	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BRIDGEWATER																
ALL RACES	19	1	1	-	-	-	-	-	-	3	11	3	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES	161	9	2	-	-	-	-	3	2	18	52	64	21	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
CANAAN																
ALL RACES	28	1	1	-	-	-	-	-	1	5	7	9	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE																
ALL RACES	261	10	-	-	-	2	1	-	1	24	92	109	31	1	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	1	2	2	1	-	-	-
COLEBROOK																
ALL RACES	13	-	-	-	-	-	-	-	-	3	4	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	11	-	-	-	-	-	-	-	-	2	3	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	1,008	67	6	1	1	7	9	28	30	236	359	252	78	5	1	1
NONWHITE	137	10	2	-	1	4	5	13	4	49	32	21	5	1	1	1
GOSHEN																
ALL RACES	20	1	-	-	-	-	1	-	-	5	10	3	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	53	2	-	-	-	-	-	1	1	7	17	22	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KENT																
ALL RACES	30	2	-	-	-	-	2	-	-	4	11	7	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES	101	2	1	-	-	-	1	1	3	19	33	33	8	3	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY																
ALL RACES	60	3	-	-	-	-	-	2	-	6	18	26	8	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
MORRIS																
ALL RACES	20	1	-	-	-	-	-	-	-	8	5	5	1	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
NAUGATUCK																
ALL RACES	478	35	-	-	-	2	5	7	17	128	203	88	26	2	-	-
NONWHITE	16	-	-	-	-	-	-	2	1	6	4	1	2	-	-	-
NEW FAIRFIELD																
ALL RACES	168	12	1	-	-	-	-	2	2	19	63	60	20	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
NEW HARTFORD																
ALL RACES	78	5	-	-	-	1	-	3	1	8	17	33	13	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
NEW MILFORD																
ALL RACES	338	10	2	-	-	1	3	2	6	73	122	103	26	2	-	-
NONWHITE	10	-	-	-	-	-	-	-	-	2	3	4	-	1	-	-
NEWTOWN																
ALL RACES	272	11	2	-	-	2	2	3	1	28	93	120	23	-	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
NORFOLK																
ALL RACES	38	1	-	-	-	-	-	3	-	3	19	9	3	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES	21	-	-	-	-	-	-	1	2	4	11	3	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT																
ALL RACES	81	3	-	-	-	1	2	-	1	10	28	30	9	-	-	-
NONWHITE	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
REDDING																
ALL RACES	102	4	2	-	-	-	-	-	-	5	31	46	18	1	1	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
RIDGEFIELD																
ALL RACES	219	9	4	-	-	-	-	1	-	16	58	97	42	5	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-
ROXBURY																
ALL RACES	11	1	-	-	-	-	-	1	-	1	4	5	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	33	4	2	-	-	-	-	-	-	5	12	9	7	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SHARON																
ALL RACES	24	2	2	-	-	-	-	1	1	4	7	5	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1986-Continued

TOWN OF RESIDENCE	BIRTH WEIGHT			AGE OF MOTHER												
	TOTAL	5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SHERMAN																
ALL RACES	25	3	1	-	-	-	-	-	-	1	10	8	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES	160	10	-	-	-	-	-	2	1	20	45	61	29	2	-	-
NONWHITE	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-
THOMASTON																
ALL RACES	83	4	-	-	-	-	2	-	-	20	32	23	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES	405	22	1	1	2	3	2	15	13	107	153	85	23	1	-	-
NONWHITE	14	-	-	-	-	-	-	-	-	2	5	6	1	-	-	-
WARREN																
ALL RACES	11	1	1	-	-	-	-	-	-	1	6	3	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES	53	-	-	-	-	-	1	-	-	13	20	14	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES	1,736	153	1	9	24	27	50	73	84	585	551	266	59	7	-	1
NONWHITE	337	56	-	3	10	12	17	24	28	115	83	35	9	1	-	-
WATERTOWN																
ALL RACES	230	13	-	1	1	1	-	4	6	39	106	54	17	1	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-
WINCHESTER																
ALL RACES	181	12	-	1	-	2	1	7	8	45	64	42	11	-	-	-
NONWHITE	5	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-
WOLCOTT																
ALL RACES	131	7	-	-	-	-	2	2	3	14	60	39	10	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
WOODBURY																
ALL RACES	115	9	2	-	-	1	1	-	-	12	45	35	19	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1986

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	304	17	32	64	86	66	31	7	1	-	-	83	5	15	18	17	16	9	2	1	-	-
Sex:																						
Male	175	12	22	35	51	31	19	5	-	-	-	52	4	10	10	10	11	5	2	-	-	-
Female	126	5	10	28	34	35	11	2	1	-	-	30	1	5	7	7	5	4	-	1	-	-
Unknown	3	-	-	1	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	295	16	30	62	84	64	31	7	1	-	-	80	5	15	17	16	15	9	2	1	-	-
Other	4	-	2	-	1	1	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
Unknown	5	1	-	2	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	7	1	-	1	2	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
20-27 weeks	90	2	13	13	21	29	10	2	-	-	-	26	-	9	4	2	7	3	1	-	-	-
28-31 weeks	25	2	2	5	8	7	-	1	-	-	-	8	-	1	3	2	2	-	-	-	-	-
32-35 weeks	39	1	3	10	13	7	3	1	1	-	-	9	1	-	-	3	2	1	1	1	-	-
36 weeks	10	-	-	-	5	2	3	-	-	-	-	4	-	-	-	2	-	2	-	-	-	-
37-39 weeks	28	1	1	9	10	2	4	1	-	-	-	6	-	-	3	2	1	-	-	-	-	-
40 weeks or over	34	1	5	9	8	5	5	1	-	-	-	8	-	2	2	1	2	1	-	-	-	-
Unknown	71	9	8	17	19	12	5	1	-	-	-	21	3	3	6	5	2	2	-	-	-	-
Weight at birth:																						
1000 grams or less	129	6	20	19	31	40	11	1	1	-	-	42	1	12	7	6	10	5	-	1	-	-
1001-1500 grams	29	2	1	9	7	6	2	2	-	-	-	8	1	-	2	2	1	1	1	-	-	-
1501-2000 grams	27	2	2	6	10	3	4	-	-	-	-	6	-	-	2	2	1	1	-	-	-	-
2001-2500 grams	21	-	2	5	7	4	3	-	-	-	-	4	-	-	1	2	1	-	-	-	-	-
2501-3000 grams	19	1	2	7	4	1	2	2	-	-	-	4	-	1	1	-	1	-	1	-	-	-
3001-3500 grams	25	-	1	5	9	4	4	2	-	-	-	6	-	-	3	3	-	-	-	-	-	-
3501-4000 grams	13	1	1	1	6	3	1	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-
4001-4500 grams	5	-	2	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Over 4500 grams	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	34	5	1	9	11	4	4	-	-	-	-	9	3	1	2	1	1	1	-	-	-	-
Plural births:																						
Single	280	16	30	60	79	57	30	7	1	-	-	78	5	13	17	16	15	9	2	1	-	-
Twins	22	1	2	4	7	7	1	-	-	-	-	5	-	2	1	1	1	-	-	-	-	-
Triplets	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1986

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total, all causes	304
740	Anencephalus and similar anomalies	4
742	Other congenital anomalies of nervous system	3
758	Chromosomal anomalies	4
759	Other and unspecified congenital anomalies	13
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	15
761	Fetus affected by maternal complications of pregnancy	11
762	Fetus affected by complications of placenta, cord and membranes	111
765	Disorders relating to short gestation and unspecified low birthweight	20
768	Intrauterine hypoxia and birth asphyxia	14
771	Infections specific to the perinatal period	3
772	Fetal and neonatal haemorrhage	1
773	Haemolytic disease of fetus due to isoimmunization	2
775	Endocrine and metabolic disturbances specific to the fetus	2
778	Conditions involving the integument and temperature regulation of fetus	2
779	Other and ill-defined conditions originating in the perinatal period	99

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1986

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	28,015	406	24	24	13	11	478	48	51	173	255	326	314	406	430	547	780	1,463	2,126	2,985	3,571	3,778	3,771	6,511	2
MALE	14,089	211	12	16	6	6	251	30	29	126	187	228	223	270	285	325	483	913	1,298	1,752	2,048	1,950	1,637	2,053	1
FEMALE	13,926	195	12	8	7	5	227	18	22	47	68	98	91	136	145	222	297	550	828	1,233	1,523	1,828	2,134	4,458	1
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
10-18 TUBERCULOSIS																									
MALE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	-
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	1	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	1	-
36 MENINGOCOCCAL INFECTION																									
MALE	3	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	161	3	1	-	-	-	4	-	1	-	1	1	1	2	5	1	7	5	7	18	25	21	27	35	-
FEMALE	187	-	-	-	-	-	-	1	-	-	-	3	-	1	-	6	5	6	8	17	18	27	28	67	-
90-97 SYPHILIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	84	2	-	-	-	-	2	-	-	-	2	5	5	12	9	5	4	6	6	9	7	8	3	1	-
FEMALE	41	2	-	-	-	-	2	-	1	-	-	5	2	-	1	-	1	2	1	6	4	5	4	7	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,519	1	2	1	-	2	6	2	5	8	11	12	12	42	59	72	169	276	466	575	619	517	355	383	-
FEMALE	3,303	2	-	3	2	-	7	4	4	2	7	10	19	43	73	103	146	275	351	482	509	476	364	428	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	48	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	3	5	8	8	5	4	5	6	-
FEMALE	66	-	-	-	-	-	-	-	1	-	1	1	-	1	1	2	4	6	4	6	9	10	9	11	-
250 DIABETES MELLITIS																									
MALE	212	-	-	-	-	-	-	-	-	-	-	4	1	2	3	3	4	17	17	26	50	27	29	29	-
FEMALE	274	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	4	11	23	26	25	53	50	31	-
280-285 ANEMIAS																									
MALE	24	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	-	1	1	2	1	2	2	6	-
FEMALE	36	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	-	1	1	1	3	8	6	11	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	53	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	8	3	16	10	4	3	1	-	-
FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	4	3	-	-	-	2	1	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1986-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
320-322 MENINGITIS																									
MALE	7	1	-	2	-	1	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	1	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,206	5	1	-	-	-	6	1	-	3	6	11	23	51	88	131	182	427	537	826	969	967	844	1,134	-
FEMALE	6,732	5	2	-	-	-	7	2	1	2	7	10	20	24	17	54	70	145	288	467	683	862	1,218	2,854	1
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,187	4	1	-	-	-	5	1	-	3	5	7	16	47	77	108	170	385	467	713	819	807	657	900	-
FEMALE	5,214	5	2	-	-	-	7	1	1	1	4	7	15	16	15	40	56	120	244	384	525	689	942	2,146	1
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	21	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	2	1	7	-	1	2	-
FEMALE	54	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	4	7	6	9	7	7	9	1
402 HYPERTENSIVE HEART DISEASE																									
MALE	91	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	2	8	14	17	13	10	9	8	-
FEMALE	127	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	7	6	8	13	13	18	18	36	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	3,496	-	-	-	-	-	-	-	-	-	1	-	4	26	48	65	99	254	309	473	546	581	449	641	-
FEMALE	3,439	-	-	-	-	-	-	-	-	-	-	1	2	3	6	19	31	61	145	262	349	471	651	1,438	-
415-429 OTHER HEART DISEASE																									
MALE	1,577	4	1	-	-	-	5	1	-	3	2	7	10	20	25	40	66	119	142	222	252	216	198	249	-
FEMALE	1,590	5	2	-	-	-	7	1	1	1	4	6	11	10	6	17	18	49	83	103	153	193	265	662	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	4	5	10	2	9	9	-
FEMALE	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	2	8	10	13	15	3	21	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	693	1	-	-	-	-	1	-	-	-	1	3	7	3	10	17	10	32	45	65	102	103	133	161	-
FEMALE	1,121	-	-	-	-	-	-	1	-	1	2	2	5	7	2	10	10	15	34	58	119	135	209	511	-
440 ATHEROSCLEROSIS																									
MALE	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	8	14	12	13	37	-
FEMALE	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	6	10	11	33	125	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	180	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	4	15	30	32	36	27	-
FEMALE	118	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	1	8	11	19	14	19	40	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1986-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
480-486 PNEUMONIA																								
MALE	464	3	2	-	1	-	6	-	-	-	-	2	3	3	6	5	7	10	12	31	45	84	74	176	-
FEMALE	550	4	-	-	-	-	4	-	1	3	1	1	3	2	4	2	8	5	12	26	26	73	85	294	-
487 INFLUENZA																								
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	7	-
FEMALE	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	11	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																								
MALE	460	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	7	13	33	60	91	95	87	65	-
FEMALE	392	-	-	-	-	-	-	-	2	-	-	-	-	3	2	1	6	15	33	48	64	70	65	83	-
531-533 ULCER OF STOMACH AND DUODENUM																								
MALE	36	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	5	-	5	5	1	4	6	7	-
FEMALE	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	7	7	16	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																								
MALE	22	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-	1	4	7	5	-
FEMALE	43	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	2	-	4	3	5	7	19	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																								
MALE	192	-	-	-	-	-	-	-	-	-	-	1	3	14	9	15	16	30	32	24	27	12	8	1	-
FEMALE	105	-	-	-	-	-	-	-	-	-	1	-	-	3	3	9	5	12	12	19	19	14	7	1	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																								
MALE	151	-	-	-	-	-	-	1	-	-	1	1	-	-	4	1	2	8	18	12	17	26	21	39	-
FEMALE	132	1	-	-	-	1	2	-	-	-	-	-	1	2	3	-	1	3	5	12	13	20	22	48	-
590 INFECTIONS OF KIDNEY																								
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	-
600 HYPERPLASIA OF PROSTATE																								
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
740-759 CONGENITAL ANOMALIES																								
MALE	70	48	2	2	1	-	53	1	1	2	-	1	1	1	-	-	-	1	2	3	1	-	3	-	-
FEMALE	73	49	4	1	-	-	54	1	-	-	-	3	1	-	1	-	-	1	3	3	2	1	2	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																								
MALE	106	106	-	-	-	-	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	111	111	-	-	-	-	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																								
MALE	201	201	-	-	-	-	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	91	91	-	-	-	-	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1986-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	U KN
E800-E949 ACCIDENTS																										
MALE	619	1	2	8	3	2	16	14	15	66	84	81	50	42	23	25	21	20	26	36	31	25	17	27	
FEMALE	307	4	4	4	3	2	17	7	6	24	23	25	12	9	2	6	4	13	18	14	19	28	28	52	
E810-E825 MOTOR VEHICLE ACCIDENTS																										
MALE	319	-	1	-	2	1	4	7	6	49	64	50	29	21	14	15	9	9	7	10	10	9	2	4	
FEMALE	119	2	1	-	-	2	5	2	6	19	19	18	9	4	2	5	3	5	5	3	6	4	2	2	
E910 ACCIDENTAL DROWNING AND SUBMERSION																										
MALE	38	-	-	1	1	-	2	2	2	4	4	5	2	6	1	2	1	-	2	2	2	1	-	-	
FEMALE	8	-	1	1	1	-	3	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																										
MALE	248	-	-	-	-	-	-	-	-	21	34	33	33	24	15	17	11	19	8	7	9	3	7	7	
FEMALE	61	-	-	-	-	-	-	-	-	3	5	12	3	6	5	2	7	5	4	-	7	-	-	2	
E960-E978 HOMICIDE AND LEGAL INTERVENTION																										
MALE	107	1	-	1	1	-	3	4	1	10	17	21	11	12	11	6	4	3	1	1	-	2	-	-	
FEMALE	47	-	-	-	1	1	2	2	3	4	6	6	6	3	5	2	-	3	2	-	2	1	-	-	
ALL OTHER CAUSES																										
MALE	1,257	19	2	1	-	1	23	7	5	12	29	51	71	64	42	32	36	54	106	104	144	146	136	194	
FEMALE	1,363	6	2	-	1	1	10	1	3	9	15	21	20	33	22	33	30	39	59	96	111	160	229	472	

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1986

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	1,786	104	5	7	2	1	119	12	11	17	37	67	56	79	93	99	111	129	171	176	183	135	110	181	-
MALE	1,016	54	-	5	1	-	60	8	6	13	26	44	39	50	68	62	63	83	106	98	112	72	47	59	-
FEMALE	770	50	5	2	1	1	59	4	5	4	11	23	17	29	25	37	48	46	65	78	71	63	63	122	-
10-18 TUBERCULOSIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	16	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	3	1	-	1	2	1	3	1	-
FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	1	1	6	1	1	1	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	19	-	-	-	-	-	-	-	-	-	-	1	2	4	1	3	1	1	1	2	2	1	-	-	-
FEMALE	4	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	232	1	-	-	-	-	1	1	-	-	-	-	2	3	10	17	22	27	37	33	34	24	8	13	-
FEMALE	169	-	-	1	-	-	1	2	1	1	1	1	1	2	7	11	16	16	13	28	20	20	12	16	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
250 DIABETES MELLITIS																									
MALE	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	3	1	2	-	-
FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	2	2	1	2	3	-
280-285 ANEMIAS																									
MALE	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	16	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	4	1	1	1	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
320-322 MENINGITIS																									
MALE	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	135	-	-	-	-	-	-	-	-	-	-	2	-	4	15	18	18	17	28	43	46	51	34	25	-
FEMALE	309	-	1	-	-	-	1	-	-	-	-	2	5	6	5	5	14	15	18	32	30	33	29	35	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1986-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
390-398,402,404-429 DISEASES OF THE HEART																										
MALE	274	-	-	-	-	-	-	-	-	-	2	-	3	13	14	11	17	21	35	39	44	28	19	28	-
FEMALE	240	-	1	-	-	-	1	-	-	-	1	4	3	3	5	8	12	13	29	22	27	22	29	59	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																										
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
402 HYPERTENSIVE HEART DISEASE																										
MALE	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	1	2	-	-	2	-
FEMALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	2	4	2	-	2	1	2	-
410-414 ISCHEMIC HEART DISEASE																										
MALE	147	-	-	-	-	-	-	-	-	-	1	-	-	8	6	3	7	10	23	25	26	9	11	18	-
FEMALE	135	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	4	6	15	10	18	16	16	42	-
415-429 OTHER HEART DISEASE																										
MALE	114	-	-	-	-	-	-	-	-	-	1	-	3	4	7	7	10	9	9	13	16	19	8	8	-
FEMALE	85	-	1	-	-	-	1	-	-	-	1	3	3	1	2	3	4	7	10	10	9	4	12	15	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																										
MALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	-	-	-
430-438 CEREBROVASCULAR DISEASES																										
MALE	46	-	-	-	-	-	-	-	-	-	-	-	1	1	4	7	-	5	4	5	6	5	4	4	-
FEMALE	48	-	-	-	-	-	-	-	-	-	1	-	3	2	-	3	1	-	3	4	5	5	6	15	-
440 ATHEROSCLEROSIS																										
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	4	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																										
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	-	1	-
480-486 PNEUMONIA																										
MALE	29	21	-	-	-	-	21	-	-	-	-	-	1	-	6	1	1	4	2	1	2	2	2	5	-
FEMALE	24	21	-	-	-	-	2	-	1	1	-	1	1	1	2	-	1	-	1	3	-	3	1	6	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																										
MALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	5	2	5	2	2	-	-
FEMALE	11	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	2	3	1	-	-	2	1	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1986-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
531-533 ULCER OF STOMACH AND DUODENUM																										
MALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																										
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																										
MALE	17	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	5	2	-	2	1	-	-	-	
FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	-	-	-	-	-	-	
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																										
MALE	15	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	2	2	2	-	2	-	
FEMALE	12	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	1	3	2	-	2	-	
590 INFECTIONS OF KIDNEY																										
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
740-759 CONGENITAL ANOMALIES																										
MALE	7	6	-	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	15	11	2	-	-	-	13	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	33	33	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	31	31	-	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FEMALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E800-E949 ACCIDENTS																										
MALE	68	-	-	3	1	-	4	2	4	4	8	9	6	3	7	6	4	4	2	2	1	1	-	1	-	
FEMALE	24	2	1	1	-	1	5	2	-	1	3	3	1	-	-	-	1	1	2	1	2	1	-	1	-	
E810-E825 MOTOR VEHICLE ACCIDENTS																										
MALE	30	-	-	-	1	-	1	1	-	2	7	3	3	1	3	2	3	1	1	1	1	-	-	-	-	
FEMALE	13	1	1	-	-	1	3	1	-	-	3	2	1	-	-	-	1	1	-	-	1	-	-	-	-	
E910 ACCIDENTAL DROWNING AND SUBMERSION																										
MALE	7	-	-	-	-	-	-	1	2	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																										
MALE	15	-	-	-	-	-	-	-	-	-	3	2	5	2	3	-	-	-	-	-	-	-	-	-	-	
FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1986-Continued

ICD 9TH REVISION	Total	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	50	1	-	-	-	-	1	3	1	5	6	10	6	2	7	3	2	2	1	-	-	1	-	-	-
FEMALE	11	-	-	-		1	1	-	1	1	1	3	2	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER CAUSES																									
MALE	119	5	-	-	-	-	5	2	1	-	8	14	13	17	10	8	6	5	9	6	6	2	4	3	-
FEMALE	101	1	1	-	-	-	2	-	1	-	2	8	5	12	5	8	11	3	4	9	4	5	10	12	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1986

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	406	104	189	81	34	50	52	97	217	42	15	29	63
HSA 1 SOUTHWESTERN	67	19	35	11	5	8	8	15	34	6	7	3	15
BRIDGEPORT	25	12	14	3	2	4	2	3	16	2	4	1	5
DARIEN	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	5	-	3	1	-	-	1	1	3	2	1	-	1
GREENWICH	3	1	1	-	-	1	1	2	-	-	-	-	1
MONROE	4	-	4	-	-	-	-	1	3	-	-	-	-
NEW CANAAN	2	-	-	1	1	-	-	-	1	-	-	-	1
NORWALK	7	4	2	3	-	1	1	1	3	2	-	1	2
STAMFORD	9	2	5	-	-	2	2	4	1	-	-	-	4
STRATFORD	9	-	5	2	1	-	1	2	5	-	2	1	1
TRUMBULL	1	-	-	-	1	-	-	1	-	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	-	-	-	-	-	-	-	-	-	-	-	-	-
WILTON	2	-	1	1	-	-	-	-	2	-	-	-	-
HSA 2 SOUTH CENTRAL	88	32	44	15	9	12	8	22	50	11	1	6	10
ANSONIA	2	2	1	1	-	-	-	-	2	-	-	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	3	-	1	-	-	-	2	-	1	-	-	1	1
DERBY	3	-	3	-	-	-	-	-	3	2	-	-	-
EAST HAVEN	4	-	1	-	1	1	1	-	2	-	-	2	-
GUILFORD	1	1	-	-	1	-	-	-	1	-	-	-	-
HAMDEN	4	-	-	2	-	2	-	1	3	-	1	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	8	1	1	3	1	2	1	3	2	1	-	-	3
MILFORD	6	-	3	1	1	1	-	2	3	1	-	1	-
NEW HAVEN	38	27	27	5	2	3	1	7	26	5	-	1	4
NORTH BRANFORD	4	-	3	1	-	-	-	2	2	2	-	-	-
NORTH HAVEN	-	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	1	-	-	-	-	-	1	1	-	-	-	-	-
SHELTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WALLINGFORD	6	-	1	1	1	1	2	4	1	-	-	-	1

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1986-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
WEST HAVEN	7	1	2	1	2	2	-	2	3	-	-	1	1
WOODBRIDGE	1	-	1	-	-	-	-	-	1	-	-	-	-
HSA 3 EASTERN	61	2	27	15	6	7	6	14	32	5	4	3	12
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
CLINTON	2	-	-	1	1	-	-	-	2	-	-	-	-
COLCHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	2	-	-	1	-	1	-	-	1	-	-	-	1
CROMWELL	1	-	-	-	-	-	1	-	-	-	-	-	1
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	1	-	-	1	-	-	-	1	-	-	-	-	-
EAST HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST LYME	1	-	1	-	-	-	-	-	1	-	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD	3	-	-	3	-	-	-	-	3	1	-	-	-
GROTON	14	-	5	4	2	2	-	3	8	2	1	2	1
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	4	-	1	1	1	-	1	1	2	-	-	-	1
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	1	-	-	1	-	-	-	-	1	-	-	-	-
LEDYARD	1	-	-	-	1	-	-	-	1	-	1	-	-
LISBON	-	-	-	-	-	-	-	-	-	-	-	-	-
LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEFIELD	1	-	-	-	1	-	-	1	-	-	-	-	-
MIDDLETOWN	1	-	-	1	-	-	-	-	1	-	1	-	-
MONTVILLE	3	-	2	-	-	-	1	2	-	-	-	-	1
NEW LONDON	2	1	1	-	-	-	1	-	1	1	-	-	1

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1986-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
N STONINGTON	2	-	2	-	-	-	-	-	2	-	-	-	-
NORWICH	8	1	8	-	-	-	-	3	5	1	1	-	-
OLD LYME	1	-	1	-	-	-	-	-	1	-	-	-	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINFIELD	2	-	-	-	-	1	1	-	-	-	-	-	2
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	1	-	1	-	-	-	-	1	-	-	-	-	-
PRESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PUTNAM	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND	3	-	2	-	-	-	1	-	1	-	-	-	2
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	-	-	-	1	-	-	-	-	-	-	1
THOMPSON	1	-	-	-	-	1	-	-	-	-	-	1	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	2	-	-	1	-	1	-	1	-	-	-	-	1
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	3	-	2	1	-	-	-	1	2	-	-	-	-
WOODSTOCK	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL	131	36	61	27	9	15	19	29	75	16	3	10	17
ANDOVER	2	-	1	-	1	-	-	1	1	-	-	-	-
AVON	-	-	-	-	-	-	-	-	-	-	-	-	-
BERLIN	1	-	-	1	-	-	-	-	-	-	-	-	1
BLOOMFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	6	-	1	2	-	3	-	1	2	1	-	-	3
BURLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	11	3	6	2	-	1	2	-	9	2	1	1	1
EAST WINDSOR	3	-	1	-	2	-	-	1	-	-	-	-	2
ELLINGTON	2	-	1	-	-	1	-	-	1	1	-	1	-
ENFIELD	5	-	3	1	-	1	-	1	3	-	-	1	-
FARMINGTON	3	1	3	-	-	-	-	2	1	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1986-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
GLASTONBURY	2	-	1	-	-	-	1	1	1	1	-	-	-
GRANBY	1	-	-	1	-	-	-	1	-	-	-	-	-
HARTFORD	43	26	22	3	2	7	9	6	24	5	1	5	8
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	-	-	-	-	-	-	-	-	-	-	-	-	-
MANCHESTER	6	-	1	2	-	1	2	-	3	1	-	1	2
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	14	2	8	3	1	-	2	5	9	3	-	-	-
NEWINGTON	2	-	-	1	1	-	-	1	1	-	-	-	-
PLAINVILLE	2	-	-	-	1	-	1	1	1	-	-	-	-
PLYMOUTH	1	-	-	1	-	-	-	-	1	-	-	-	-
ROCKY HILL	-	-	-	-	-	-	-	-	-	-	-	-	-
SIMSBURY	1	-	1	-	-	-	-	1	-	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	2	-	1	1	-	-	-	2	-	-	-	-	-
SOUTH WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
STAFFORD	2	-	-	1	-	-	1	-	2	-	-	-	-
SUFFIELD	3	-	3	-	-	-	-	-	3	1	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	6	-	2	4	-	-	-	3	3	-	-	-	-
WEST HARTFORD	6	2	4	1	1	-	-	1	4	1	-	-	-
WETHERSFIELD	1	-	-	1	-	-	-	-	1	-	-	-	-
WINDSOR	5	1	2	2	-	-	1	-	5	-	1	-	-
WINDSOR LOCKS	1	1	-	-	-	1	-	1	-	-	-	-	-
HSA 5 NORTHWESTERN	59	15	22	13	5	8	11	17	26	4	-	7	9
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	2	-	1	-	-	-	1	-	2	1	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	10	-	5	1	1	3	-	2	5	-	-	2	1
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1986-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	1	-	-	-	-	-	1	-	1	-	-	-	-
MIDDLEBURY	1	-	-	-	-	-	1	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	4	-	1	-	1	1	1	1	-	-	-	-	3
NEW FAIRFIELD	3	-	-	1	-	1	1	2	-	-	-	1	-
NEW HARTFORD	1	-	1	-	-	-	-	-	1	1	-	-	-
NEW MILFORD	1	-	1	-	-	-	-	1	-	-	-	-	-
NEWTOWN	2	-	1	-	1	-	-	1	1	-	-	-	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD	1	-	-	1	-	-	-	-	1	-	-	-	-
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY	1	-	-	-	-	-	1	1	-	-	-	-	-
THOMASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON	4	-	3	1	-	-	-	2	2	-	-	-	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	25	15	8	9	1	3	4	6	10	2	-	4	5
WATERTOWN	1	-	-	-	1	-	-	-	1	-	-	-	-
WINCHESTER	-	-	-	-	-	-	-	-	-	-	-	-	-
WOLCOTT	1	-	-	-	-	-	1	-	1	-	-	-	-
WOODBURY	1	-	1	-	-	-	-	-	1	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1986

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	406	189	81	17	12	5	304	27	23	17	7	9	8	3	1	3	1	3
MALE	211	88	46	6	5	3	148	18	13	12	3	6	6	2	1	2	-	-
FEMALE	195	101	35	11	7	2	156	9	10	5	4	3	2	1	-	1	1	3
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	6	1	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	4	2	1	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE	5	-	1	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	6	-	-	-	-	-	-	2	1	-	-	1	2	-	-	-	-	-
FEMALE	6	-	-	-	-	1	1	-	1	1	1	1	-	1	-	-	-	-
480-486 PNEUMONIA																		
MALE	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE	4	-	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	48	21	13	2	1	-	37	3	2	4	-	-	1	-	-	1	-	-
FEMALE	49	22	11	4	3	-	40	3	2	-	2	1	-	-	-	-	1	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	106	61	29	2	4	1	97	1	1	-	1	3	1	1	-	1	-	-
FEMALE	111	76	21	6	3	-	106	2	-	1	1	1	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	13	11	2	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE	29	28	-	-	-	-	28	1	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1986-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
767 BIRTH TRAUMA																		
MALE	2	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	7	4	2	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE	8	5	2	-	-	-	7	1	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	20	1	1	1	-	-	3	5	5	5	-	1	-	1	-	-	-	-
FEMALE	9	1	-	-	-	1	2	1	4	1	-	-	1	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1
ALL OTHER CAUSES																		
MALE	18	2	1	1	-	2	6	5	3	2	1	-	1	-	-	-	-	-
FEMALE	5	1	1	-	1	-	3	-	1	1	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1986-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	104	54	18	4	1	1	78	6	4	3	5	2	3	1	1	1	-	-
MALE	54	24	13	1	-	-	38	4	2	2	3	1	2	-	1	1	-	-
FEMALE	50	30	5	3	1	1	40	2	2	1	2	1	1	1	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
480-486 PNEUMONIA																		
MALE	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	6	1	4	-	-	-	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE	11	4	2	-	-	-	6	2	1	-	1	1	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	33	23	7	1	-	-	31	-	-	-	1	-	-	-	-	1	-	-
FEMALE	31	26	3	2	-	-	31	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	11	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	4	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1986-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
E800-E949 ACCIDENTS																		
FEMALE	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	5	-	1	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-
FEMALE	2	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1986

CAUSES OF DEATH (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Percent Within Age Group
All Causes (Under 1 yr.)*	406	9.0	100.0	211	9.2	100.0	195	8.9	100.0
Certain conditions originating in perinatal period (760-779)	217	4.8	53.4	106	4.6	50.2	111	5.1	56.9
Congenital anomalies (740-759)	97	2.2	23.9	48	2.1	22.7	49	2.2	25.1
Sudden infant death syndrome (798.0)	29	0.6	7.1	20	0.9	9.5	9	0.4	4.6
Diseases of the heart (390-398, 402,404-429)	9	0.2	2.2	4	0.2	1.9	5	0.2	2.6
Influenza and pneumonia (480-487)	7	0.2	1.7	3	0.1	1.4	4	0.2	2.1
All other causes	47	1.0	11.6	30	1.3	14.2	17	0.8	8.7
All Causes (1-14 years)	171	30.4	100.0	99	34.4	100.0	72	26.2	100.0
Accidents, total (E800-E949)	70	12.4	40.9	44	15.3	44.4	26	9.4	36.1
Motor Vehicle Accidents (E810-E825)	28	5.0	16.4	17	5.9	17.2	11	4.0	15.3
Malignant neoplasms (140-208)	25	4.4	14.6	12	4.2	12.1	13	4.7	18.1
Homicides and legal intervention (E960-E978)	14	2.5	8.2	7	2.4	7.1	7	2.5	9.7
Congenital anomalies (740-759)	13	2.3	7.6	7	2.4	7.1	6	2.2	8.3
Diseases of the heart (390-398, 402, 404-429)	6	1.1	3.5	2	0.7	2.0	4	1.5	5.6
Influenza and pneumonia (480-487)	4	0.7	2.3	3	1.0	3.0	1	0.4	1.4
All other causes	39	6.9	22.8	24	8.3	24.2	15	5.5	20.8
All Causes (15-24 years)	428	82.1	100.0	313	118.9	100.0	115	44.6	100.0
Accidents, total (E800-E949)	197	37.8	46.0	150	57.0	47.9	47	18.2	40.9
Motor Vehicle Accidents (E810-E825)	151	29.0	35.3	113	42.9	36.1	38	14.7	33.0
Suicide (E950-E959)	63	12.1	14.7	55	20.9	17.6	8	3.1	7.0
Homicides and legal intervention (E960-E978)	37	7.1	8.6	27	10.3	8.6	10	3.9	8.7
Malignant neoplasms (140-208)	28	5.4	6.5	19	7.2	6.1	9	3.5	7.8
Diseases of the heart (390-398, 402, 404-429)	13	2.5	3.0	8	3.0	2.6	5	1.9	4.3
Cerebrovascular Diseases (430-438)	4	0.8	0.9	1	0.4	0.3	3	1.2	2.6
Influenza and pneumonia (480-487)	4	0.8	0.9	0	0.0	0.0	4	1.5	3.5
All other causes	82	15.7	19.2	53	20.1	16.9	29	11.2	25.2
All Causes (25-44 years)	1,476	147.8	100.0	1,006	205.3	100.0	470	92.4	100.0
Malignant neoplasms (140-208)	270	27.0	18.3	125	0.0	12.4	145	28.5	30.9
Accidents, total (E800-E949)	244	24.4	16.5	196	40.0	19.5	48	9.4	10.2
Diseases of the heart (390-398, 402, 404-429)	200	20.0	13.6	147	30.0	14.6	53	10.4	11.3
Motor Vehicle Accidents (E810-E825)	147	14.7	10.0	114	23.3	11.3	33	6.5	7.0
Suicide (E950-E959)	131	13.1	8.9	105	21.4	10.4	26	5.1	5.5
Homicides and legal intervention (E960-E978)	75	7.5	5.1	55	11.2	5.5	20	3.9	4.3
Cerebrovascular disease (430-438)	39	3.9	2.6	23	4.7	2.3	16	3.1	3.4
Chronic liver disease and cirrhosis (571)	33	3.3	2.2	27	5.5	2.7	6	1.2	1.3
Influenza and pneumonia (480-487)	25	2.5	1.7	15	3.1	1.5	10	2.0	2.1
Diabetes mellilitus (250)	18	1.8	1.2	10	2.0	1.0	8	1.6	1.7
All other causes	441	44.2	29.9	303	61.8	30.1	138	27.1	29.4

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1986

CAUSES OF DEATH (ICD 9th Revision)	Total Deaths	Age-Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age-Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age-Specific Female Rate Per 100,000	Percent Within Age Group
All Causes (45 64 years)	4,916	740.6	100.0	3,019	950.0	100.0	1,897	548.3	100.0
Malignant neoplasms (140-208)	1,858	279.9	37.8	983	309.3	32.6	875	252.9	46.1
Diseases of the heart (390-398, 402, 404-429)	1,590	239.5	32.3	1,130	355.6	37.4	460	133.0	24.2
Cerebrovascular disease (430-438)	173	26.1	3.5	104	32.7	3.4	69	19.9	3.6
Accidents, total (E800-E959)	133	20.0	2.7	92	28.9	3.0	41	11.9	2.2
Chronic liver disease and cirrhosis (571)	131	19.7	2.7	93	29.3	3.1	38	11.0	2.0
Chronic obstructive pulmonary disease and allied conditions (490-496)	111	16.7	2.3	56	17.6	1.9	55	15.9	2.9
Diabetes mellitis (250)	80	12.1	1.6	41	12.9	1.4	39	11.3	2.1
Suicides (E950-E959)	73	11.0	1.5	55	17.3	1.8	18	5.2	0.9
Pneumonia and influenza (480-487)	61	9.2	1.2	34	10.7	1.1	27	7.8	1.4
All other causes	706	106.4	14.4	431	135.6	14.3	275	79.5	14.5
All Causes (65 years and over)	20,616	4,581.9	100.0	9,440	5,244.4	100.0	11,176	4,140.2	100.0
Diseases of the heart (390-398, 402, 404-429)	8,582	1,907.4	41.6	3,896	2,164.4	41.3	4,686	1,735.9	41.9
Malignant neoplasms (140-208)	4,638	1,030.8	22.5	2,379	1,321.7	25.2	2,259	836.9	20.2
Cerebrovascular disease (430-438)	1,596	354.7	7.7	564	313.3	6.0	1,032	382.3	9.2
Pneumonia and influenza (480-487)	939	208.7	4.6	420	233.3	4.4	519	192.3	4.6
Chronic obstructive pulmonary disease and allied conditions (490-496)	728	161.8	3.5	398	221.1	4.2	330	122.2	3.0
Diabetes mellitis (250)	388	86.2	1.9	161	89.4	1.7	227	84.1	2.0
Septicaemia (38)	283	62.9	1.4	126	70.0	1.3	157	58.2	1.4
Accidents, total (E800-E949)	277	61.6	1.3	136	75.6	1.4	141	52.2	1.3
Atherosclerosis (440)	269	59.8	1.3	84	46.7	0.9	185	68.5	1.7
Nephritis, nephrotic syndromm and nephrosis (580-589)	230	51.1	1.1	115	63.9	1.2	115	42.6	1.0
Chronic liver disease and cirrhosis (571)	132	29.3	0.6	72	40.0	0.8	60	22.2	0.5
All other causes	2,554	567.6	12.4	1,089	605.0	11.5	1,465	542.7	13.1

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1986

Number for Groom

Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Sixth	Unknown
TOTAL	27,378	19,068	6,950	1,168	135	14	1	42
First	19,551	16,284	2,874	344	26	1	-	22
Second	6,619	2,478	3,457	601	69	6	1	7
Third	1,017	240	545	193	32	4	-	3
Fourth	110	26	52	23	8	1	-	-
Fifth	11	-	7	2	-	2	-	-
Sixth	2	-	1	1	-	-	-	-
Unknown	68	40	14	4	-	-	-	10

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1986

Previous Marital Status of Groom

Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	27,378	19,068	708	7,352	109	141
Single	19,551	16,284	83	3,019	77	88
Widowed	679	111	308	256	1	3
Divorced	6,818	2,473	309	3,983	26	27
Annulled	123	79	3	36	5	-
Unknown	207	121	5	58	-	23

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES, CONNECTICUT, 1986

COUNTY	TOTAL
CONNECTICUT, TOTAL	11,545
Fairfield	2,601
Hartford	3,003
Litchfield	503
Middlesex	574
New Haven	2,779
New London	1,157
Tolland	545
Windham	383
Sex of Complainant:	
Male	3,850
Female	7,482
Not Stated	213

TABLE 15: CHILDREN UNDER 18 AFFECTED BY MARRIAGE DISSOLUTION CONNECTICUT, 1986

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	11,545
No children	5,590
One child	2,828
Two children	2,304
Three children	630
Four children	103
Five children	29
Six or more children	3
Not Stated	58

TABLE 16: DURATION OF MARRIAGES DISSOLVED, CONNECTICUT, 1986

Year Marriage Was Contracted	Number Marriages Dissolved	Year Marriage Was Contracted	Number Marriages Dissolved
TOTAL	11,545	1973	330
1986	70	1972	287
1985	472	1971	289
1984	823	1970	301
1983	993	1969-1965	1,166
1982	915	1964-1960	768
1981	847	1959-1955	391
1980	803	1954-1950	169
1979	660	1949-1945	77
1978	500	1944-1940	26
1977	396	1939-1935	10
1976	438	1934-1930	7
1975	404	Prior to 1930	1
1974	341	Unknown	61

GLOSSARY

Birth Weight	Weight of fetus or infant at time of delivery.
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Health Service Area (HSA)	Five geographic areas used by the Department of Health Services for planning purposes.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or shows other signs of life.
Low Birth Weight	Birth wherein the birth weight is less than 2,500 grams (2,500 grams is approximately equal to 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATE DEFINITIONS

Type	Definition
Age-Specific Death Rate:	$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$
Crude Birth Rate:	$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$
Crude Death Rate:	$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$
Divorce Rate:	$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$
Fetal Death Ratio:	$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$
Infant Death Rate:	$\frac{\text{No. of Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$
Marriage Rate:	$\frac{\text{No. of Persons Married}}{\text{Total Population}} \times 1{,}000$